

BATTERY PACK ENERGY I 3kW

SMALL BUT MIGHTY.

Don't let it's size fool you, the Batt Pack Energy delivers power that packs a punch. This isn't your 'just in case' portable power back, it's built for every day use and has been tested in the toughest of conditions. Rain or shine, you can rely on the Batt Pack Energy to safely deliver power you can count on. So go on, put it through it's paces and discover how we power freedom.

Key benefits

- **Weatherproof**
- Safe for use indoors & outdoors
- ₩ Ultra portable & durable
- Built to resist shock & vibration
- MPPT solar charging
- 3 ways to charge (solar, vehicle, grid)

- (*) Remote monitoring & troubleshooting via WiFl (coming soon)
- Remote monitoring via satellite (coming soon)
- Made in Canada



Tech Specs

Power	3,000W
Surge Power	4,500W (500ms) 6,000W (10ms)
Loaded Motor Capacity	+2HP
Energy	2.5kWh
Chemistry	LiFePO4
Cycles	+3,500 Cycles
Voltage	120V AC or 240V AC EU]
Frequency	60 Hz or 50 Hz EU]
Solar Input Power	1,600W
VOC Input Voltage	60V DC
Solar Input Voltage	30-60V DC
Max Solar Amperage	40A
Grid Charging Power	1,200W
Bypass Power	1,200W
Sine Wave	Pure Sine Wave
Output voltage threshold	5%
Size	60.5cm x 39.4cm x 33.6cm [23.8in x 15.5in x 13.2in]
Weight	36 kg [79.4 lbs]
Storage Temperature	-30°C to 50°C [-22°F to 122°F]
Operating temperature (with Polarshield)	-30°C to 50°C [-22°F to 122°F]
Recharge Time	Grid = 2.5 Hours Solar= 2 Hour* Alternator = 7 Hours
Idle Power Consumption	40W
Humidity Range	5% - 95%
Vibration Resistance	IEC 60068-2-64
Shock Resistance	IEC 60068-2-31
Output Efficiency	Greater than 90%
Certification	CE, UL9540A, UL1642, ESA SPE-1000, UL1741
Safety features	Solar reverse polarity protection, overload protection, short circuit protection, surge protection, over temperature shut off

^{*}With maximum solar power



Ready to Power Your Future?

Sale & Hire Options Available Enquire for Pricing

Daniel +1 604 902 0119 | Brenton +1 604 374 1613

info@kiikew.com